

COMPANY UP&DOWN DOWNLIGHT IN-GROUND BRICKLIGHT FLOODLIGHT BOLLARD BULKHEAD GARDEN URBAN CLASSIC URBAN MODERN POST LAMPS REFERENCES



# TOMMY

## FLOODLIGHT



LED floodlight with single or double lights made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Suitable for indoor and outdoor installations on wall and ceilings, in the ground or on spikes. Square, ring or eyelid cover versions available with no visible screws. Supplied as standard with TÜV-CB certified, long-life, efficient and **Kelvin settable GX53 LED lamp included**. The floodlight is fully adjustable and it can tilt and turn at will. Insulation class II, Protection rating IP66.

*Proiettore a LED a luce singola o doppia fabbricato in resina antiurto stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Idoneo per installazioni a parete, a soffitto, al suolo o su picchetto, sia in ambienti esterni che interni. Cover quadrata, ad anello o a palpebra senza viti a vista. Fornito con inclusa lampadina a LED GX53 con Kelvin impostabile certificata TÜV-CB di lunga durata ed elevata efficienza. Il proiettore è completamente regolabile e si può inclinare e orientare a piacimento. Classe di isolamento II, grado di protezione IP66.*



2M1.001.D1K




**CCT SETTABLE**

3000 K 4000 K 6500 K

SDCM <6



**TOMMY - COMPONENTS**

IP 66




**COVER** with no visible screws made of shockproof resin material, UV-rays stabilized, rust and corrosion free. Ring or eyelid versions available.

**COVER** senza viti a vista in resina antiurto stabilizzata ai raggi UV inattaccabile da ruggine e corrosione. Disponibile nella versione ad anello o a palpebra.

**DIFFUSER** made of shockproof resin material (PC) complete with silicone rubber gasket to ensure high protection against external agents. Frosted or coloured versions, to get a customized ambiance.

**DIFFUSORE** in resina antiurto (PC) completo di guarnizione in gomma siliconica per garantire un alto livello di protezione contro gli agenti esterni. Disponibile nella versione satinata o colorata, per ottenere un'ambientazione personalizzata.



Resin **BODY** suitable for the electrical devices fixation and resin **SUPPORT FORK** to allow a fully adjustable floodlight position.

**CORPO** in resina predisposto per il fissaggio degli accessori elettrici e **FORCELLA** di supporto per permettere l'orientamento del proiettore.

**INSTALLATION ELEMENTS:**

- ROTATION DISK for surface installation.
- SPIKE for in ground installation.
- CONNECTION FITTING for double lights version.

**ELEMENTI DI FISSAGGIO:**

- DISCO DI ROTAZIONE per l'installazione a parete.
- PICCHETTO per l'installazione nel terreno.
- SUPPORTO per la versione a luce doppia.

**TOMMY**



**Dimensions and weight**

Height: 165 mm  
Width: 152 mm  
Weight: 0,8 Kg

**Moulded Colours:**

Black Grey White

**Diffuser PC:**

Frosted  
Blue Green Orange

**LED LAMPS**



Technical details on page 552.

**GX53 LED**

100 - 240 V

\*ADD SUFFIX



GX53 LED	3 W	350 Lm	6500 K		
			4000 K	3000 K	.G1K
GX53 LED	7 W	800 Lm	6500 K	4000 K	.C1K
			3000 K		
			6500 K	4000 K	.D1K
	10 W	1200 Lm	3000 K		


Floodlight supplied as standard with TÜV-CB certified, long-life, efficient and Kelvin settable GX53 LED lamp included. Different wattages available. Quick and easy lamp replacement for a very simple maintenance after installation.

- **COST SAVING:** long-life and efficient LED light sources
- **BUILT-IN DRIVER:** quick and easy lamp replacement
- **GREAT FLEXIBILITY:** GX53 standard lamp holder
- **FUTURE-PROOFED LUMINARIES:** performances easy to upgrade to latest technology developments
- **SUITABLE FOR OUTDOOR USE:** built-in driver fully protected against heat and humidity by silicone paste.

3W 350 Lm = 40W incandescent  
**SAVE 93%**

7W 10W = 75W 100W incandescent  
**SAVE 90%**

**CCT SETTABLE LED LAMP**



CCT switch settable in three different positions, to select the desired Kelvin temperature (3000K/4000K/6500K) and get a customized ambiance.

\* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

# TOMMY

FLOODLIGHT




2M1.000.D1K



4M1.001.AUD2K

MADE IN ITALY



TOMMY	
<b>3W</b>	2M1.000.G1K
<b>7W</b>	2M1.000.C1K
<b>10W</b>	2M1.000.D1K

CCT SETTABLE GX53 LED LAMP INCLUDED  
3000K/4000K/6500K

Pcs 18  
Kg 15,3  
mc 0,092

TOMMY SPIKE	
<b>3W</b>	2M1.001.G1K
<b>7W</b>	2M1.001.C1K
<b>10W</b>	2M1.001.D1K

CCT SETTABLE GX53 LED LAMP INCLUDED  
3000K/4000K/6500K

Pcs 18  
Kg 16  
mc 0,092

TOMMY 2L	
<b>2x3W</b>	4M1.000.G2K
<b>2x7W</b>	4M1.000.C2K
<b>2x10W</b>	4M1.000.D2K

2 CCT SETTABLE GX53 LED LAMPS INCLUDED  
3000K/4000K/6500K

Pcs 8  
Kg 13,9  
mc 0,092

TOMMY 2L SPIKE	
<b>2x3W</b>	4M1.001.G2K
<b>2x7W</b>	4M1.001.C2K
<b>2x10W</b>	4M1.001.D2K


2 CCT SETTABLE GX53 LED LAMPS INCLUDED  
3000K/4000K/6500K

Pcs 8  
Kg 14,2  
mc 0,092

# TOMMY-EL

FLOODLIGHT





TOMMY-EL	
<b>3W</b>	2M2.000.G1K
<b>7W</b>	2M2.000.C1K
<b>10W</b>	2M2.000.D1K

CCT SETTABLE GX53 LED LAMP INCLUDED  
3000K/4000K/6500K

Pcs 18  
Kg 15,3  
mc 0,092

TOMMY-EL SPIKE	
<b>3W</b>	2M2.001.G1K
<b>7W</b>	2M2.001.C1K
<b>10W</b>	2M2.001.D1K

CCT SETTABLE GX53 LED LAMP INCLUDED  
3000K/4000K/6500K

Pcs 18  
Kg 16  
mc 0,092

TOMMY-EL 2L	
<b>2x3W</b>	4M2.000.G2K
<b>2x7W</b>	4M2.000.C2K
<b>2x10W</b>	4M2.000.D2K

2 CCT SETTABLE GX53 LED LAMPS INCLUDED  
3000K/4000K/6500K

Pcs 8  
Kg 13,9  
mc 0,092

TOMMY-EL 2L SPIKE	
<b>2x3W</b>	4M2.001.G2K
<b>2x7W</b>	4M2.001.C2K
<b>2x10W</b>	4M2.001.D2K

2 CCT SETTABLE GX53 LED LAMPS INCLUDED  
3000K/4000K/6500K


Pcs 8  
Kg 14,2  
mc 0,092

# TOMMY-SQ

FLOODLIGHT



MADE IN ITALY



TOMMY-SQ	
<b>3W</b>	5M1.000.G1K
<b>7W</b>	5M1.000.C1K
<b>10W</b>	5M1.000.D1K

CCT SETTABLE GX53 LED LAMP INCLUDED  
3000K/4000K/6500K

Pcs 18  
Kg 15,3  
mc 0,092

TOMMY-SQ SPIKE	
<b>3W</b>	5M1.001.G1K
<b>7W</b>	5M1.001.C1K
<b>10W</b>	5M1.001.D1K

CCT SETTABLE GX53 LED LAMP INCLUDED  
3000K/4000K/6500K

Pcs 18  
Kg 16  
mc 0,092

TOMMY-SQ 2L	
<b>2x3W</b>	6M1.000.G2K
<b>2x7W</b>	6M1.000.C2K
<b>2x10W</b>	6M1.000.D2K

2 CCT SETTABLE GX53 LED LAMPS INCLUDED  
3000K/4000K/6500K

Pcs 8  
Kg 13,9  
mc 0,092

TOMMY-SQ 2L SPIKE	
<b>2x3W</b>	6M1.001.G2K
<b>2x7W</b>	6M1.001.C2K
<b>2x10W</b>	6M1.001.D2K

2 CCT SETTABLE GX53 LED LAMPS INCLUDED  
3000K/4000K/6500K

Pcs 8  
Kg 14,2  
mc 0,092